

## Central Minnesota Pulling Series Rules

1. All engine fans must be factory or shrouded steel 1/16" or thicker. Electric fans are also acceptable.
2. No part of the tractor may interfere with the sled during pull. No weight frame or weights may extend more than 11 feet from center of rear axle to front point of weights. All weights must be safely secured to the tractor and cannot be on 2- or 3-point arms. Hitch must be clear for hook.
3. Only one fuel per tractor.
4. All ignition engines must have a kill switch in working order within easy reach of the driver.
5. All exhaust must be factory or discharged vertically upward above the highest point of the tractor unless FACTORY equipped differently
6. All classes will use standard drawbar rules. Minimum drawbar length of 18" from the center of the rear wheel to point of hook measured horizontally. Drawbar must be stationary in all directions. Maximum drawbar height of 20" from hitch point parallel to ground. Pull point may not be more than 1-1/2" from back edge of hitching device. No bracing of drawbar to 3-point of top link. Must furnish own hitch. Draw bar must be easily accessible (no weights blocking). **MUST HAVE TWISTED CLEVIS!! HITCH MUST BE HORIZONTAL**
7. Operator must remain seated and always have complete control of the tractor. All tractors must have working rear brakes.
8. Tractors may be downshifted during pull provided forward motion is constant. Use of torque amplifiers and power shifts is allowed.
9. Consumption of alcoholic beverages or drugs in the pit areas before or during contest is prohibited. If any judge believes any driver to be a potential safety hazard, that driver will be disqualified with NO refund of entry fee.

10. Tractor and skid must remain within boundaries of course.
11. Contest is to be governed by judges with all decisions final. Judges have the right to stop and disqualify at ANY time with NO refund of entry fee.
12. No duals
13. Any parts or equipment falling off the tractor during the pull is a disqualification.
14. Tractor entry includes driver admission only. No limit on pit crew. All pit personnel will be expected to follow pit area rules. All pit personnel will be expected to purchase a pit pass
15. 1 pull per tractor unless set by judges
16. All weight classes include the driver. No extra weight allowed.
17. All underage drivers must have parental permission slip signed. NO EXCEPTIONS
18. Any puller may have one re-pull if the puller stops before the front of the skid passes the 100 foot mark and requests the re-pull BEFORE he is unhooked from the sled. No first puller re-pull option
19. Sportsmanship Rule: Unsportsmanlike conduct will NOT be tolerated and will result in a year and one day suspension.
20. Absolutely NO Passengers on Trucks or Tractors
21. Side shields are allowed on any tractor in any class however must be removed for judges inspection at any time they are requested. Failure to do so will result in immediate disqualification
22. Speed limits will be enforced in all classes by placing a cone at 100 feet. Any horns after 100 feet will result in disqualification of that pull. Any horns before 100 feet will not count regardless of how many
23. Anything decided on day of pull by the contest judges supersedes anything written here.

### **3.5 MPH Classes: 3750 lbs, 4500 lbs, 5500 lbs, 7500 lbs**

Must be stock or stock replacement block  
Updraft carburetor unless original without  
No aluminum frame rails  
Factory cast manifolds and working governor  
16.9 38 max tire size for 5500 and below  
18.4 38 max tire size  
Top cut tires allowed  
No full cuts  
No dual tires

### **6 MPH Classes: 3750 lbs, 4500 lbs, 5500 lbs, 7000 lbs**

No turbo unless factory equipped  
Engine must be stock or ag based replacement with same number of cylinders as factory  
Safety equipment is strongly encouraged  
Fenders are strongly encouraged  
Headers allowed  
Updraft carburetor unless originally equipped without  
Factory style injection pump if diesel  
Working governors required  
If using a rev limiter it must be set to a maximum of 3000 RPMs  
16.9 38 max tire size for 4500 and below  
18.4 38 max tire size  
Top cuts allowed  
No full cuts  
No dual tires

### **12 MPH Class: 5500 lbs**

Wide front end strongly encouraged  
Updraft carburetor unless originally equipped without  
Fenders required  
Headers allowed  
Any cut tire allowed  
Safety equipment strongly encouraged  
No dual tires