

Farmer's Classes:

Factory-appearing or stock replacement block, carburetor, injector pump, turbo, front end, and drivetrain for that make and model.

All tractors must have fenders and floor plate.

Tractors must be factory stock appearing.

Wide front ends are strongly encouraged.

No block spacers.

Governor required.

Maximum 3000 RPM for all turbo classes.

Only one fuel type.

No cut tires.

16.9-38 max tire size for 5,500 lbs and below

18.4-38 max tire size for 6,500 lbs - 9,500 lbs

Duals are allowed with a minimum of 6 bolts per hub, starting at 10,500 lbs.

All engine fans must be factory or shrouded steel 1/16" or thicker.

All transmissions and clutch housings covered.

Turbos are allowed in classes 10,500 lbs and up

All turbo not under a hood must be completely shrouded except for an inlet and exhaust pipe 1/16" or thicker.

4,500 lb- 3 MPH speed limit

10,500 lb- no speed limit

5,500 lb- 3 MPH speed limit

12,500 lb- no speed limit

6,500 lb- 4 MPH speed limit

14,500 lb- no speed limit

8,500 lb- 4 MPH speed limit

16,500 lb- no speed limit

9,500 lb- 6 MPH speed limit

18,000 lb- no speed limit

22,000 lb- MFD no speed limit

Improved Farm Classes:

3,500 lbs, 4,000 lbs, 5,000 lbs, 6,000 lbs, 7,000 lbs, 8,000 lbs & 12,500 lbs

**RULES FOR 3,500 lbs, 4,000 lbs, 5,000 lbs, 6,000 lbs,
7,000 lbs, & 8,000 lbs IMPROVED CLASSES**

5 MPH Speed Limit

No turbo unless factory equipped

Engine must be stock or ag based replacement with same number of cylinders as factory

Safety equipment is strongly encouraged

Fenders are strongly encouraged

Headers allowed

Updraft carburetor unless originally equipped without

Factory style injection pump if diesel

Working governors required If using a rev limiter it must be set to a maximum of 3000 RPMs

16.9-38 max tire size for 4,000 lbs and below

18.4-38 max tire size for 5,000 lbs and above

Top cut tires allowed

No full cuts

No dual tires

RULES FOR 12,500 lb IMPROVED CLASS

No speed limit

One fuel.

No injectables.

No dual tires.

****IF THERE IS ENOUGH INTEREST OF 5 TRACTORS OR MORE, WE CAN ADD A "HOT FARM" 12,500 lbs CLASS*****

"HOT FARM" YOU CAN RUN WATER

Open Classes:

7,000 lbs & 9,000 lbs

RULES FOR OPEN CLASSES:

Must have a safety blanket on the clutch and flywheel.

Wheelie bars are required.

Must have a break away switch and second emergency shut off within reach of the driver.

Factory appearing block.

Exhaust pipe must be cross-bolted.

Front dampener covered.

Wide front must track within the rear wheels, minimum of 60 inches.

Roll over protection and dead man throttle required.

Helmet and fire suit are MANDATORY.

9,000 lb class may have 1 turbo only, any size.

3 x 4 turbos allowed.

Cut tires allowed.

One fuel only (gas, propane, diesel).

No nitrous or oxidizers.

Quick releasing side panels, removable for inspection, are required.

Fuel shutoff required between pump and fuel filter.

Super Antique Class:

5,500 lbs

RULES FOR SUPER ANTIQUE CLASS:

12 MPH

Wide front end is strongly encouraged

Must have an updraft carburetor unless originally equipped without

Fenders are required

Wheelie Bars are required

Headers are allowed

Any cut tire allowed

Safety equipment is strongly encouraged

No dual tires